

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4541	((print\$5 or reproduc\$5) with ((outside or out or external\$5) near3 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:52
S2	9	S1 and (map\$5 with input\$5 with output\$5 with primary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:49
S3	5629	358/1.9,501,523.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:05
S4	2365	345/589,590,591,601-604.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:05
S5	6	S2 and (S3 or S4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:17
S6	0	"370304".ap. and (input adj2 primary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:11
S7	1	"370304".ap. and (input with primary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:12
S8	2	"370304".ap. and (primary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:23
S9	152	S1 and (map\$5 with input\$5 with output\$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:21
S10	96	S9 and (S3 or S4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 13:01
S13	152	S1 and (map\$5 with input\$5 with output\$5 with (primary or color))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:22
S14	3	"370304".ap. and (plac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:23
S15	3	"619388".ap. and (plac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:45

EAST Search History

S16	2	"370304".ap. and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:49
S17	1	"370304".ap. and "213"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:50
S18	1	"370304".ap. and map\$5 near3 point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:54
S19	0	"370304".ap. and profile with (outside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:54
S20	0	"370304".ap. and profile with (out)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:54
S21	1	"370304".ap. and profile same (outside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:55
S22	3	"370304".ap. and (outside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 12:55
S23	0	S9 and ((user or operator) near5 (determin\$5 or judg\$5 or input\$5) near5 map\$5 with ((outside or out or external\$5) near3 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 13:00
S24	69	S9 and ((determin\$5 or judg\$5 or input\$5 or intent or style or method) near5 map\$5 with ((outside or out or external\$5) near3 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 13:01
S25	47	S24 and (S3 or S4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 13:03
S26	17	S9 and (((determin\$5 or judg\$5 or input\$5 or intent or style or method) near5 map\$5 with ((outside or out or external\$5) near3 (gamut or range)))) same (percept\$5 or saturat\$5 or colorimet\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 13:16
S27	14	S26 and (S3 or S4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 13:23
S28	4541	((print\$5 or reproduc\$5) with (((outside or out or external\$5) near3 (gamut or range)) or (out-of-gamut or out-of-range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 13:06

EAST Search History

S29	6	S9 and (((determin\$5 or judg\$5 or input\$5) near5 (intent or style or method or algor\$7) near5 map\$5 with ((outside or out or external\$5) near3 (gamut or range))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 13:19
S30	7	S9 and (((determin\$5 or judg\$5 or input\$5 or select\$5 or choos\$5) near5 (intent or style or method or algor\$7) near5 map\$5 with ((outside or out or external\$5) near3 (gamut or range))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 13:21
S31	5	S30 and (S3 or S4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 13:23
S32	1	"6388674".pn. and primary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:59
S33	2	"6388674".pn. and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:59
S34	1	"6388674".pn. and map\$5 near5 input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:01
S35	0	"6421142".pn. and primary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:01
S36	2	"6421142".pn. and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:14
S37	2	"6421142".pn. and input\$5 with output\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:15
S38	0	"619388".ap. and "304"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:14
S39	2	"619388".ap. and "308"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:54
S40	0	"619388".ap. and printer adj2 primary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:54
S41	1	"619388".ap. and printer near3 primary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:54

EAST Search History

S42	3	"619388".ap. and plac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:58
S43	1	"619388".ap. and map\$5 with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:17
S44	0	"6421142".pn. and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:22
S45	2	"6421142".pn. and (combin\$5 or merg\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:16
S46	2	"6421142".pn. and (combin\$5 or merg\$5) with map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:16
S47	1	"619388".ap. and (inside near3 profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:17
S48	3	"619388".ap. and (combin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:18
S49	1	"619388".ap. and (profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:18
S50	1	"619388".ap. and (profile) same inside	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:19
S51	1	"619388".ap. and inside	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:20
S52	1	"619388".ap. and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:20
S53	1	"6421142".pn. and map\$5 with (inside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:27
S54	2	"20030164968".pn. and (profile with out\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:28

EAST Search History

S55	0	"20030164968".pn. and (profile with outside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:29
S56	0	"20030164968".pn. and (profile with out)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:37
S57	1	"20030164968".pn. and inside	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:36
S58	1	"6388674".pn. and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:36
S59	2	"20030164968".pn. and (profile with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:38
S60	1	"20030164968".pn. and (profile with map\$5) same (inside or outside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:39
S61	1	"20030164968".pn. and (profile) same (inside or outside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:43
S62	1	"20030164968".pn. and (map\$5) with (inside or outside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:44
S63	1	"20030164968".pn. and (map\$5) same (inside or outside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:44
S64	1	"20030164968".pn. and (map\$5) same (inside or outside or external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:45
S65	1	"20030164968".pn. and (profile\$5) same (inside or outside or external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:45
S66	1	"20030164968".pn. and "228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:45
S67	4541	((print\$5 or reproduc\$5) with ((outside or out or external\$5) near3 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:50

EAST Search History

S68	5	S67 and (profile with (map\$5) with (inside near3 (gamut or range))) same (profile with (map\$5) with ((outside or out or external\$5) near3 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:57
S69	0	S67 and (((combin\$5 or merg\$5 or joint or single) near3 profile) with (map\$5) with (inside near3 (gamut or range)) with ((outside or out or external\$5) near3 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:02
S70	1	"6437792".pn. and (device adj2 profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:03
S71	1	"6437792".pn. and (device adj2 profile) same (outside or inside) same gamut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:05
S72	1	"6437792".pn. and (profile) same (outside or inside) same gamut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:13
S73	2	"6421142".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:13
S74	1	"6421142".pn. and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:34
S75	1	"6421142".pn. and ((lut or look\$5 or table) same gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:15
S76	1	"6421142".pn. and ((lut or look\$5 or table) same gamut) same transform\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:18
S77	0	"6437792".pn. and ((lut or look\$5 or table) same gamut) same transform\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:18
S78	1	"6437792".pn. and ((lut or look\$5 or table) same profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:18
S79	0	S67 and (plural\$5 adj2 (table or lut or lookup or look-up) with (map\$5 or associat\$5) with (plural\$5 adj2 input\$ adj2 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:37
S80	0	print\$5 and (plural\$5 adj2 (table or lut or lookup or look-up) with (map\$5 or associat\$5) with (plural\$5 adj2 input\$ adj2 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:37

EAST Search History

S81	1	print\$5 and (plural\$5 adj2 (table or lut or lookup or look-up) with (map\$5 or associat\$5) with (input\$ adj2 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:38
S82	2	print\$5 and (plural\$5 adj2 (table or lut or lookup or look-up) with (map\$5 or associat\$5) with (input\$ adj2 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:39
S83	1	print\$5 and ((plural\$5 adj2 (table or lut or lookup or look-up) with (map\$5 or associat\$5) with (input\$)) same (input\$5 near3 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:40
S84	4	print\$5 and ((plural\$5 adj2 (table or lut or lookup or look-up) with (map\$5 or associat\$5) with (input\$ near3 image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:42
S85	1	S67 and ((plural\$5 adj2 (table or lut or lookup or look-up)) same ((select\$5 or choos\$5) near3 (table or lut or lookup or look-up)) same ((determin\$5 or judg\$5 or discriminat\$5) near3 (input\$5 near2 image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:44
S86	3	((plural\$5 adj2 (table or lut or lookup or look-up)) same ((select\$5 or choos\$5) near3 (table or lut or lookup or look-up)) same ((determin\$5 or judg\$5 or discriminat\$5) near3 (input\$5 near2 image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:44
S87	3	((plural\$5 adj2 (table or lut or lookup or look-up or mapp\$5)) same ((select\$5 or choos\$5) near3 (table or lut or lookup or look-up or map\$5)) same ((determin\$5 or judg\$5 or discriminat\$5) near3 (input\$5 near2 image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:45
S88	3	((plural\$5 adj2 (table or lut or lookup or look-up or (gamut adj2 (mapp\$5 or conver\$5 or transform\$5))) same ((select\$5 or choos\$5) near3 ((gamut adj2 (mapp\$5 or conver\$5 or transform\$5)) or table or lut or lookup or look-up or map\$5)) same ((determin\$5 or judg\$5 or discriminat\$5) near3 (input\$5 near2 image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:47
S89	53	(((table or lut or lookup or look-up or (gamut adj2 (mapp\$5 or conver\$5 or transform\$5))) same ((select\$5 or choos\$5) near3 ((gamut adj2 (mapp\$5 or conver\$5 or transform\$5)) or table or lut or lookup or look-up or map\$5)) same ((determin\$5 or judg\$5 or discriminat\$5) near3 (input\$5 near2 image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:49
S90	1	(((table or lut or lookup or look-up or (gamut adj2 (mapp\$5 or conver\$5 or transform\$5))) same ((select\$5 or choos\$5) near3 ((gamut adj2 (mapp\$5 or conver\$5 or transform\$5)) or table or lut or lookup or look-up or map\$5)) same ((determin\$5 or judg\$5 or discriminat\$5) near3 (input\$5 near2 image)))) and (input\$5 near3 profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:50
S91	20	(((table or lut or lookup or look-up or (gamut adj2 (mapp\$5 or conver\$5 or transform\$5))) same ((select\$5 or choos\$5) near3 ((gamut adj2 (mapp\$5 or conver\$5 or transform\$5)) or table or lut or lookup or look-up or map\$5)) same ((determin\$5 or judg\$5 or discriminat\$5) near3 (profile)))) and (input\$5 near3 profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 10:25
S92	746	(((table or lut or lookup or look-up or (gamut adj2 (mapp\$5 or conver\$5 or transform\$5))) near5 (match\$5 or associat\$5) near5 (profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 10:37
S93	27	S92 and (input\$5 with image with profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 10:36

EAST Search History

S94	10	S93 and ((select\$5 or choos\$5 or designat\$5) near3 (table or lut or lookup or look-up or (gamut adj2 (mapp\$5 or conver\$5 or transform\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 10:30
S95	26	((table or lut or lookup or look-up or (gamut adj2 (mapp\$5 or conver\$5 or transform\$5))) near5 (match\$5 or associat\$5 or correspond\$5 or accord\$5) near5 ((source or input\$5) near2 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 10:57
S96	0	S95 and (((determin\$5 or judg\$5 or discover\$5 or find\$3) near2 profile) with (input\$5 with image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 10:52
S97	7	S95 and (((determin\$5 or judg\$5 or discover\$5 or find\$3) near2 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 10:53
S98	380	((table or lut or lookup or look-up or (gamut adj2 (mapp\$5 or conver\$5 or transform\$5))) with ((source or input\$5) near2 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:39
S99	16	S98 and (plural\$5 adj2 ((source or input\$5) near2 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:41
S10 0	1	S99 and ((table or lut or lookup or look-up or (gamut adj2 (mapp\$5 or conver\$5 or transform\$5))) near5 (select\$5 or choos\$5 or designat\$5) near5 (match\$5 or associat\$5 or correspond\$5 or accord\$5) with profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 10:58
S10 1	7	S99 and ((table or lut or lookup or look-up or (gamut adj2 (mapp\$5 or conver\$5 or transform\$5))) near5 (select\$5 or choos\$5 or designat\$5) with profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:42
S10 6	536	((table or lut or lookup or look-up or ((color or gamut or range) adj2 (mapp\$5 or conver\$5 or transform\$5))) with ((source or input\$5) near2 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:39
S10 7	20	S106 and (plural\$5 adj2 ((source or input\$5) near2 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:41
S10 8	10	S107 and ((table or lut or lookup or look-up or ((color or gamut or range) adj2 (mapp\$5 or conver\$5 or transform\$5))) near5 (select\$5 or choos\$5 or designat\$5) with profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:43
S10 9	3	((print\$5 or reproduc\$5) with ((outside or out or external\$5) near3 (gamut or range))) same (perceptual same saturation same colorimetric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:55
S11 0	0	((print\$5 or reproduc\$5) with ((outside or out or external\$5) near3 (gamut or range))) and ((gamut near3 (map\$5 or transform\$5 or conver\$5)) same ((select\$5 or choos\$5) near3 perceptual) same ((select\$5 or choos\$5) near3 saturation) same ((select\$5 or choos\$5) near3 colorimetric))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:57

EAST Search History

S11 1	0	((print\$5 or reproduc\$5) with ((outside or out or external\$5) near3 (gamut or range))) and ((gamut near3 (map\$5 or transform\$5 or conver\$5)) and ((select\$5 or choos\$5) near3 perceptual) and ((select\$5 or choos\$5) near3 saturation) and ((select\$5 or choos\$5) near3 colorimetric))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:58
S11 2	7	((print\$5 or reproduc\$5) with ((outside or out or external\$5) near3 (gamut or range))) and ((gamut near3 (map\$5 or transform\$5 or conver\$5)) and ((render\$5 or intent) near3 perceptual) and ((render\$5 or intent) near3 saturation) and ((render\$5 or intent) near3 colorimetric))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 12:03
S11 3	6	((print\$5 or reproduc\$5) with ((outside or out or external\$5) near3 (gamut or range))) and ((gamut near3 (map\$5 or transform\$5 or conver\$5)) and ((render\$5 or intent) near3 perceptual) and ((render\$5 or intent) near3 saturation) and ((render\$5 or intent) near3 colorimetric)) and ((select\$5 or choos\$5 or designat\$5) near3 (render\$5 or intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 12:03